



Certificate of Analysis

PASSED



Harvest/Lot ID: 001
Batch #: 001
Harvest Date: 07/07/25
Manufacturing Date: 07/07/25
Production Method: Hemp Seed Oil
Total Amount: 1 units
Retail Product Size: 30 ml
Retail Serving Size: 1
Density: 0.92 g/mL
Servings: 30

Lab ID: TE50707008-001
Ordered: 07/07/25
Sampled Date: 07/07/25
Sample Collection Time: 12:00 PM
Sample Size: 89.68 gram
Completed: 07/10/25
Revised: 07/14/25

Xpression of Awareness

10900 NW 21st St, #170
Miami, FL, 33172, US
License #: 392451

SAFETY RESULTS

MISC.

Pesticide PASSED	Heavy Metals PASSED	Microbial PASSED	Mycotoxins PASSED	Solvents PASSED	Filtration/Foreign Material PASSED	Water Activity NOT TESTED	Moisture Content NOT TESTED	Vitamin E NOT TESTED	Terpenes NOT TESTED



Cannabinoid

PASSED



Total THC ND
Total THC/Container : 0.00 mg



Total CBD 3.8550%
Total CBD/Container : 1063.98 mg



Total Cannabinoids Q3 3.9960%
Total Cannabinoids/Container : 1102.90 mg

	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	ND	ND	3.8550	ND	0.0930	ND	0.0390	ND	0.0090	ND	ND
mg/unit	ND	ND	1063.980	ND	25.668	ND	10.764	ND	2.484	ND	ND
LOD	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
LOQ	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
Qualifier	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
333, 540, 547, 603

Weight:
1.0230g

Extraction date:
07/07/25 18:03:32

Extracted by:
333

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031
Analytical Batch : TE009701POT
Instrument Used : TE-245 "Buttercup" (Infused)
Analyzed Date : 07/08/25 12:28:20

Batch Date : 07/07/25 10:55:45

Dilution : 40

Reagent : 062625.R02; 062625.R01; 061125.R15; 020425.R21

Consumables : 0000179471; 947.162; 8000038072; 20240202; 121324CH01; 1009015070; 1; 1009944912; 04402004; GD240003

Pipette : TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy

Lab Director

State License #
0000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
07/10/25

Revision: #1 -
Added compliance
statement

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

Xpression of Awareness


10900 NW 21st St, #170
Miami, FL, 33172, US
License #: 392451

Sample: TE50707008-001

Batch #: 001
Harvest/Lot ID: 001

Ordered: 07/07/25
Sampled: 07/07/25
Completed: 07/10/25

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:		Extracted by:			
Analysis Method : N/A							
Analytical Batch : N/A							
Instrument Used : N/A							
Analyzed Date : 07/10/25 11:31:29							
Batch Date : N/A							



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AVERMECTINS (ABAMECTIN B1A)	ppm	0.017	0.25	0.5	PASS	ND	
ACEPHATE	ppm	0.01	0.2	0.4	PASS	ND	
ACETAMIPRID	ppm	0.005	0.1	0.2	PASS	ND	
ALDICARB	ppm	0.014	0.2	0.4	PASS	ND	
AZOXYSTROBIN	ppm	0.005	0.1	0.2	PASS	ND	
BIFENAZATE	ppm	0.006	0.1	0.2	PASS	ND	
BIFENTHRIN	ppm	0.005	0.1	0.2	PASS	ND	
BOSCALID	ppm	0.005	0.2	0.4	PASS	ND	
CARBARYL	ppm	0.008	0.1	0.2	PASS	ND	
CARBOFURAN	ppm	0.005	0.1	0.2	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.011	0.1	0.2	PASS	ND	
CHLORPYRIFOS	ppm	0.005	0.1	0.2	PASS	ND	
CLOFENTEZINE	ppm	0.01	0.1	0.2	PASS	ND	
CYPERMETHRIN	ppm	0.1	0.5	1	PASS	ND	
DAMINOZIDE	ppm	0.01	0.5	1	PASS	ND	
DIAZINON	ppm	0.006	0.1	0.2	PASS	ND	
DICHLORVOS (DDVP)	ppm	0.001	0.05	0.1	PASS	ND	
DIMETHOATE	ppm	0.006	0.1	0.2	PASS	ND	
ETHOPROPHOS	ppm	0.004	0.1	0.2	PASS	ND	
ETOFENPROX	ppm	0.006	0.2	0.4	PASS	ND	
ETOXAZOLE	ppm	0.004	0.1	0.2	PASS	ND	
FENOXYCARB	ppm	0.005	0.1	0.2	PASS	ND	
FENPYROXIMATE	ppm	0.004	0.2	0.4	PASS	ND	
FIPRONIL	ppm	0.006	0.2	0.4	PASS	ND	
FLONICAMID	ppm	0.009	0.5	1	PASS	ND	
FLUDIOXONIL	ppm	0.006	0.2	0.4	PASS	ND	
HEXYTHIAZOX	ppm	0.005	0.5	1	PASS	ND	
IMAZALIL	ppm	0.011	0.1	0.2	PASS	ND	
IMIDACLOPRID	ppm	0.008	0.2	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.007	0.2	0.4	PASS	ND	
MALATHION	ppm	0.007	0.1	0.2	PASS	ND	
METALAXYL	ppm	0.004	0.1	0.2	PASS	ND	
METHIACARB	ppm	0.004	0.1	0.2	PASS	ND	
METHOMYL	ppm	0.005	0.2	0.4	PASS	ND	
MYCLOBUTANIL	ppm	0.01	0.1	0.2	PASS	ND	
NALED	ppm	0.007	0.25	0.5	PASS	ND	
OXAMYL	ppm	0.008	0.5	1	PASS	ND	
PACLOBUTRAZOL	ppm	0.005	0.2	0.4	PASS	ND	
TOTAL PERMETHRINS	ppm	0.003	0.1	0.2	PASS	ND	
PHOSMET	ppm	0.01	0.1	0.2	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy

Lab Director

State License #
0000024LCMD66604568
ISO 17025 Accreditation #
97164



Signature
07/10/25

Revision: #1 -
Added compliance
statement



Certificate of Analysis

Xpression of Awareness

10900 NW 21st St, #170
 Miami, FL, 33172, US
 License #: 392451

Sample: TE50707008-001

Batch #: 001
Harvest/Lot ID: 001

Ordered: 07/07/25
Sampled: 07/07/25
Completed: 07/10/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
PIPERONYL BUTOXIDE	ppm	0.005	1	2	PASS	ND	
PRALLETHRIN	ppm	0.013	0.1	0.2	PASS	ND	
PROPICONAZOLE	ppm	0.005	0.2	0.4	PASS	ND	
PROPOXUR	ppm	0.005	0.1	0.2	PASS	ND	
TOTAL PYRETHRINS	ppm	0.001	0.5	1	PASS	ND	
PYRIDABEN	ppm	0.004	0.1	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.006	0.1	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.008	0.1	0.2	PASS	ND	
SPIROTETRAMAT	ppm	0.006	0.1	0.2	PASS	ND	
SPIROXAMINE	ppm	0.004	0.2	0.4	PASS	ND	
TEBUCONAZOLE	ppm	0.004	0.2	0.4	PASS	ND	
THIACLOPRID	ppm	0.006	0.1	0.2	PASS	ND	
THIAMETHOXAM	ppm	0.006	0.1	0.2	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.006	0.1	0.2	PASS	ND	
CHLORFENAPYR	ppm	0.027	0.3	1	PASS	ND	
CYFLUTHRIN	ppm	0.015	0.5	1	PASS	ND	

Analyzed by: 410, 152, 432, 603	Weight: 1.056g	Extraction date: 07/07/25 16:37:07	Extracted by: 410
---	--------------------------	--	-----------------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ
Analytical Batch : TE009682PES
Instrument Used : TE-118 "MS/MS Pest/Myco 1",TE-261 "UHPLC - Pest/Myco 1" **Batch Date :** 07/03/25 14:58:27
Analyzed Date : 07/08/25 16:05:22

Dilution : 50
Reagent : 051325.R09; 070125.R35; 060425.R20; 070125.R29; 062725.R20; 062725.R19; 061125.R29; 070225.R20
Consumables : 9479291.162; 8000038072; 031425CH01; 220321-306-D; 1010008456; GD240003
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)


Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 410, 152, 432, 603	Weight: 1.056g	Extraction date: 07/07/25 16:37:07	Extracted by: 410
---	--------------------------	--	-----------------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ
Analytical Batch : TE009705VOL
Instrument Used : TE-118 "MS/MS Pest/Myco 1",TE-261 "UHPLC - Pest/Myco 1" **Batch Date :** 07/07/25 16:37:42
Analyzed Date : 07/08/25 16:09:45

Dilution : 50
Reagent : 051325.R09; 070125.R35; 060425.R20; 070125.R29; 062725.R20; 062725.R19; 061125.R29; 070225.R20
Consumables : 9479291.162; 8000038072; 031425CH01; 220321-306-D; 1010008456; GD240003
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
BUTANES	ppm	168.2	2400	5000	PASS	ND	
METHANOL	ppm	87.7	1440	3000	PASS	ND	
PENTANES	ppm	163.9	2400	5000	PASS	ND	
ETHANOL	ppm	142.2	2400	5000	PASS	ND	
ETHYL ETHER	ppm	193.1	2400	5000	PASS	ND	
ACETONE	ppm	37.6	480	1000	PASS	ND	
2-PROPANOL	ppm	156.2	2400	5000	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy
 Lab Director

State License #
 0000024LCMD66604568
 ISO 17025 Accreditation #
 97164



Signature
 07/10/25

Revision: #1 -
 Added compliance
 statement



Certificate of Analysis

Xpression of Awareness


10900 NW 21st St, #170
 Miami, FL, 33172, US
 License #: 392451

Sample: TE50707008-001

Batch #: 001
 Harvest/Lot ID: 001

Ordered: 07/07/25
 Sampled: 07/07/25
 Completed: 07/10/25

PASSED



Residual Solvents

PASSED


ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ACETONITRILE	ppm	12.2	196.8	410	PASS	ND	
DICHLOROMETHANE	ppm	22.7	288	600	PASS	ND	
HEXANES	ppm	8.4	139.2	290	PASS	ND	
ETHYL ACETATE	ppm	179	2400	5000	PASS	ND	
CHLOROFORM	ppm	2.41	28.8	60	PASS	ND	
BENZENE	ppm	0.115	1.2	2	PASS	ND	
HEPTANE	ppm	152.8	2400	5000	PASS	ND	
ISOPROPYL ACETATE	ppm	168.6	2400	5000	PASS	ND	
TOLUENE	ppm	26.2	427.2	890	PASS	ND	
XYLENES	ppm	53.2	1041.6	2170	PASS	ND	

Analyzed by: 334, 547, 603 Weight: 0.0192g Extraction date: 07/07/25 15:32:00 Extracted by: 334

Analysis Method : SOP.T.40.044.AZ
 Analytical Batch : TE009703SOL
 Instrument Used : TE-092 "GC - Solvents 1", TE-095 "MS - Solvents 1", TE-098 "Injector - Solvents 1", TE-100 "HS - Solvents 1", TE-113 "Vacuum Pump - Solvents 1" Batch Date : 07/07/25 12:04:04
 Analyzed Date : 07/08/25 12:27:16

Dilution : N/A
 Reagent : 032725.01; 032625.31
 Consumables : H109203-1; 431490; 103689; GD240003
 Pipette : TE-347 (25ul gastight); TE-348 25ul gastight SN:42677

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
SALMONELLA SPP.		1	1	1	PASS	Not Detected in 1g	
ESCHERICHIA COLI (REC)	CFU/g	10	10	100	PASS	<10	
TYM	Colonies	1	10		TESTED	ND	Q3

Analyzed by: 545, 331, 547, 603 Weight: 0.9040g Extraction date: 07/08/25 17:05:42 Extracted by: 545, 527

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ
 Analytical Batch : TE009723MIC
 Instrument Used : TE-234 "bioMérieux GENE-UP" Batch Date : 07/08/25 14:17:11
 Analyzed Date : 07/10/25 10:01:32

Dilution : 10
 Reagent : 053025.08; 053025.09; 031725.12; 031725.13; 070725.R05; 012225.29; 012225.32; 081324.75; 041025.19; 050725.07; 052125.34; 070125.31; 052125.10; 052125.17; 061725.04
 Consumables : 343P3T; 1008855960; 1009817562; 2240626; 121324CH01; 1010008456
 Pipette : TE-075 SN:RU31709; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy

Lab Director

State License #
 0000024LCMD66604568
 ISO 17025 Accreditation #
 97164



Signature
 07/10/25

Revision: #1 -
 Added compliance
 statement

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

Xpression of Awareness

10900 NW 21st St, #170
Miami, FL, 33172, US
License #: 392451

Sample: TE50707008-001

Batch #: 001
Harvest/Lot ID: 001

Ordered: 07/07/25
Sampled: 07/07/25
Completed: 07/10/25

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 331, 547, 603							
Weight: 1.0162g							
Extraction date: 07/10/25 15:26:37							
Extracted by: 331							
Analysis Method : N/A							
Analytical Batch : TE009713TYM							
Instrument Used : N/A							
Batch Date : 07/08/25 10:24:02							
Analyzed Date : 07/10/25 16:04:14							
Dilution : 10							
Reagent : N/A							
Consumables : N/A							
Pipette : N/A							

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.




Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AFLATOXINS	ppb	3.03	10	20	PASS	ND	
AFLATOXIN B1	ppb	3.03	10	20	PASS	ND	
AFLATOXIN B2	ppb	3.03	10	20	PASS	ND	
AFLATOXIN G1	ppb	3.03	10	20	PASS	ND	
AFLATOXIN G2	ppb	3.03	10	20	PASS	ND	
OCHRATOXIN A	ppb	3.03	10	20	PASS	ND	R1
Analyzed by: 410, 152, 432, 603							
Weight: 1.056g							
Extraction date: 07/07/25 16:37:07							
Extracted by: 410							
Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ							
Analytical Batch : TE009706MYC							
Instrument Used : TE-118 "MS/MS Pest/Myco 1", TE-261 "UHPLC - Pest/Myco 1							
Batch Date : 07/07/25 16:38:28							
Analyzed Date : 07/08/25 16:11:54							
Dilution : 50							
Reagent : 051325.R09; 070125.R35; 060425.R20; 070125.R29; 062725.R20; 062725.R19; 061125.R29; 070225.R20							
Consumables : 9479291.162; 8000038072; 031425CH01; 220321-306-D; 1010008456; GD240003							
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)							

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ARSENIC	ppm	0.066	0.2	0.4	PASS	ND	
CADMIUM	ppm	0.066	0.2	0.4	PASS	ND	
LEAD	ppm	0.166	0.5	1	PASS	ND	
MERCURY	ppm	0.0333	0.1	1.2	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy

Lab Director

State License #
0000024LCMD66604568
ISO 17025 Accreditation #
97164



Signature
07/10/25

Revision: #1 -
Added compliance
statement

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

Xpression of Awareness

10900 NW 21st St, #170
 Miami, FL, 33172, US
 License #: 392451

Sample: TE50707008-001

Batch #: 001
 Harvest/Lot ID: 001

Ordered: 07/07/25
 Sampled: 07/07/25
 Completed: 07/10/25


PASSED

Hg

Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 398, 547, 603 Weight: 0.2020g Extraction date: 07/08/25 11:16:56 Extracted by: 445,398							
Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ Analytical Batch : TE009717HEA Instrument Used : TE-260 "Ludwig", TE-307 "Ted" Analyzed Date : 07/08/25 16:43:43 Batch Date : 07/08/25 11:15:58							
Dilution : 50 Reagent : 122624.26; 070725.R16; 070125.R31; 070725.R15; 010325.07; 062025.01; 090922.04 Consumables : 031425CH01; 220321-306-D; 1009944912; GD240003 Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)							
Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).							



Filth/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.3	1	3	PASS	ND	
Analyzed by: 331, 547, 603 Weight: 0.904g Extraction date: 07/09/25 14:27:05 Extracted by: 331							
Analysis Method : SOP.T.40.090 Analytical Batch : TE009714FIL Instrument Used : N/A Analyzed Date : 07/10/25 10:36:35 Batch Date : 07/08/25 10:57:48							
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

COMMENTS

* SRF Comments

Met Sanitation Inspection Requirements.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy

Lab Director

State License #
 0000024LCMD66604568
 ISO 17025 Accreditation #
 97164



Signature
 07/10/25

Revision: #1 -
 Added compliance
 statement

Revision: #1 This revision supersedes any and all previous versions of this document.