
kaycha LABS
1231 W. Warner Road, Suite 105
Tempe, AZ, 85284, US
(833) 465-8378

Kaycha Labs
Rethink Capsule Sleep & Recharge
Matrix: Infused
Classification: Hemp
Type: Capsule

Certificate of Analysis

PASSED



Batch #: 1234
Harvest Date: 10/01/25
Production Method: Other
Total Amount: 1 units
Retail Product Size: 5.987 gram
Retail Serving Size: 0.5987 gram
Servings: 10

Lab ID: TE51002005-001
Ordered: 10/02/25
Sampled Date: 10/02/25
Sample Collection Time: 10:15 AM
Sample Size: 37.98 gram
Completed: 10/08/25

Xpression of Awareness
10900 NW 21st St, #170
Miami, FL, 33172, US

SAFETY RESULTS | **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Vitamin E	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

Cannabinoid — PASSED

Total THC
ND

Total CBD
4.0620%

Total Cannabinoids Q3
4.7840%

	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	ND	ND	4.0620	ND	ND	ND	0.6490	ND	ND	ND	0.0730
mg/unit	ND	ND	243.1919	ND	ND	ND	38.8556	ND	ND	ND	4.3705
LOD	0	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
LOQ	0	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
	%	%	%	%	%	%	%	%	%	%	%
Qualifier											

Analyzed by: 333, 540, 272, 545
Weight: 0.6011g
Extraction date: 10/02/25 13:00:05
Extracted by: 333,410

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031
Analytical Batch : TE010878POT
Instrument Used : TE-245 "Buttercup" (Infused)
Batch Date : 10/02/25 10:18:51
Analyzed Date : 10/08/25 14:50:51

Dilution : 40
Reagent : 092525.R03; 092525.R01; 061125.R15; 020425.R21
Consumables : 0000179471; 947.162; 8000038072; 20240202; 030125CH01; 1010183912; 1; 1010243878; 04402004; GD240003
Pipette : TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

Pesticide — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AVERMECTINS (ABAMECTIN B1A)	ppm	0.0170	0.2500	0.5	PASS	ND	
ACEPHATE	ppm	0.0100	0.2000	0.4	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License # 00000024LCMD66604568
ISO 17025 Accreditation # 97164

Signature
10/08/25

kaycha LABS
1231 W. Warner Road, Suite 105
Tempe, AZ, 85284, US
(833) 465-8378

Kaycha Labs
Rethink Capsule Sleep & Recharge
Matrix: Infused
Classification: Hemp
Type: Capsule

Certificate of Analysis

Xpression of Awareness
10900 NW 21st St, #170
Miami, FL, 33172, US

Sample: TE51002005-001
Batch #: 1234

Ordered: 10/02/25
Sampled: 10/02/25
Completed: 10/08/25

PASSED

Pesticide — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ACETAMIPRID	ppm	0.0050	0.1000	0.2	PASS	ND	
ALDICARB	ppm	0.0140	0.2000	0.4	PASS	ND	
AZOXYSTROBIN	ppm	0.0050	0.1000	0.2	PASS	ND	
BIFENAZATE	ppm	0.0060	0.1000	0.2	PASS	ND	
BIFENTHRIN	ppm	0.0050	0.1000	0.2	PASS	ND	
BOSCALID	ppm	0.0050	0.2000	0.4	PASS	ND	
CARBARYL	ppm	0.0080	0.1000	0.2	PASS	ND	
CARBOFURAN	ppm	0.0050	0.1000	0.2	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0110	0.1000	0.2	PASS	ND	
CHLORPYRIFOS	ppm	0.0050	0.1000	0.2	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.1000	0.2	PASS	ND	
CYPERMETHRIN	ppm	0.1000	0.5000	1	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.5000	1	PASS	ND	
DIAZINON	ppm	0.0060	0.1000	0.2	PASS	ND	
DICHLORVOS (DDVP)	ppm	0.0010	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0060	0.1000	0.2	PASS	ND	
ETHOPROPHOS	ppm	0.0040	0.1000	0.2	PASS	ND	
ETOFENPROX	ppm	0.0060	0.2000	0.4	PASS	ND	
ETOXAZOLE	ppm	0.0040	0.1000	0.2	PASS	ND	
FENOXYCARB	ppm	0.0050	0.1000	0.2	PASS	ND	
FENPYROXIMATE	ppm	0.0040	0.2000	0.4	PASS	ND	
FIPRONIL	ppm	0.0060	0.2000	0.4	PASS	ND	
FLONICAMID	ppm	0.0090	0.5000	1	PASS	ND	
FLUDIOXONIL	ppm	0.0060	0.2000	0.4	PASS	ND	
HEXYTHIAZOX	ppm	0.0050	0.5000	1	PASS	ND	
IMAZALIL	ppm	0.0110	0.1000	0.2	PASS	ND	
IMIDACLOPRID	ppm	0.0080	0.2000	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.0070	0.2000	0.4	PASS	ND	
MALATHION	ppm	0.0070	0.1000	0.2	PASS	ND	
METALAXYL	ppm	0.0040	0.1000	0.2	PASS	ND	
METHIOCARB	ppm	0.0040	0.1000	0.2	PASS	ND	
METHOMYL	ppm	0.0050	0.2000	0.4	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.1000	0.2	PASS	ND	
NALED	ppm	0.0070	0.2500	0.5	PASS	ND	
OXAMYL	ppm	0.0080	0.5000	1	PASS	ND	
PACLOBUTRAZOL	ppm	0.0050	0.2000	0.4	PASS	ND	
TOTAL PERMETHRINS	ppm	0.0030	0.1000	0.2	PASS	ND	
PHOSMET	ppm	0.0100	0.1000	0.2	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0050	1.0000	2	PASS	ND	
PRALLETHRIN	ppm	0.0130	0.1000	0.2	PASS	ND	
PROPICONAZOLE	ppm	0.0050	0.2000	0.4	PASS	ND	
PROPOXUR	ppm	0.0050	0.1000	0.2	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0010	0.5000	1	PASS	ND	
PYRIDABEN	ppm	0.0040	0.1000	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0060	0.1000	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.0080	0.1000	0.2	PASS	ND	
SPIROTETRAMAT	ppm	0.0060	0.1000	0.2	PASS	ND	
SPIROXAMINE	ppm	0.0040	0.2000	0.4	PASS	ND	
TEBUCONAZOLE	ppm	0.0040	0.2000	0.4	PASS	ND	
THIACLOPRID	ppm	0.0060	0.1000	0.2	PASS	ND	
THIAMETHOXAM	ppm	0.0060	0.1000	0.2	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0060	0.1000	0.2	PASS	ND	
CHLORFENAPYR	ppm	0.0270	0.5000	1	PASS	ND	
CYFLUTHRIN	ppm	0.0150	0.5000	1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License # 00000024LCMD66604568
ISO 17025 Accreditation # 97164

Signature
10/08/25

1231 W. Warner Road, Suite 105
Tempe, AZ, 85284, US
(833) 465-8378

Kaycha Labs

Rethink Capsule Sleep & Recharge
Matrix: Infused
Classification: Hemp
Type: Capsule

Certificate of Analysis

Xpression of Awareness
10900 NW 21st St, #170
Miami, FL, 33172, US

Sample: TE51002005-001
Batch #: 1234

Ordered: 10/02/25
Sampled: 10/02/25
Completed: 10/08/25

PASSED

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: 410, 432, 272, 545 **Weight:** 1.0455g **Extraction date:** 10/02/25 14:04:36 **Extracted by:** 410

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ
Analytical Batch : TE010882PES
Instrument Used : TE-261 "UHPLC - Pest/Myco 1
Analyzed Date : 10/04/25 05:45:49
Batch Date : 10/02/25 10:28:09

Dilution : 50
Reagent : 082525.R07; 093025.R10; 082525.R09; 092625.R24; 092725.R02; 092625.R25; 081325.R12; 093025.R18
Consumables : 9479291.246; 8000038072; 030125CH01; 1009015070; 1010263778; GD240003
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 410, 432, 272, 545 **Weight:** 1.0455g **Extraction date:** 10/02/25 14:04:36 **Extracted by:** 410

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ
Analytical Batch : TE010894VOL
Instrument Used : N/A
Analyzed Date : 10/04/25 05:47:52
Batch Date : 10/02/25 14:48:08

Dilution : 50
Reagent : 082525.R07; 093025.R10; 082525.R09; 092625.R24; 092725.R02; 092625.R25; 081325.R12; 093025.R18
Consumables : 9479291.246; 8000038072; 030125CH01; 1009015070; 1010263778; GD240003
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)

Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
BUTANES	ppm	159.0000	2400.0000	5000	PASS	ND	
METHANOL	ppm	111.0000	1440.0000	3000	PASS	ND	
PENTANES	ppm	266.5000	2400.0000	5000	PASS	ND	
ETHANOL	ppm	156.6000	2400.0000	5000	PASS	ND	
ETHYL ETHER	ppm	216.1000	2400.0000	5000	PASS	ND	
ACETONE	ppm	33.7000	480.0000	1000	PASS	ND	
2-PROPANOL	ppm	215.2000	2400.0000	5000	PASS	ND	
ACETONITRILE	ppm	11.4000	196.8000	410	PASS	ND	
DICHLOROMETHANE	ppm	21.8000	288.0000	600	PASS	ND	
HEXANES	ppm	7.6400	139.2000	290	PASS	ND	
ETHYL ACETATE	ppm	187.2000	2400.0000	5000	PASS	ND	
CHLOROFORM	ppm	1.7700	28.8000	60	PASS	ND	
BENZENE	ppm	0.1610	1.0000	2	PASS	ND	
HEPTANE	ppm	247.6000	2400.0000	5000	PASS	ND	
ISOPROPYL ACETATE	ppm	159.5000	2400.0000	5000	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License # 00000024LCMD66604568
ISO 17025 Accreditation # 97164

Signature
10/08/25

1231 W. Warner Road, Suite 105
Tempe, AZ, 85284, US
(833) 465-8378

Kaycha Labs

Rethink Capsule Sleep & Recharge
Matrix: Infused
Classification: Hemp
Type: Capsule

Certificate of Analysis

Xpression of Awareness
10900 NW 21st St, #170
Miami, FL, 33172, US

Sample: TE51002005-001
Batch #: 1234

Ordered: 10/02/25
Sampled: 10/02/25
Completed: 10/08/25

PASSED

Residual Solvents — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOLUENE	ppm	27.0000	427.2000	890	PASS	ND	
XYLENES	ppm	94.5000	1041.6000	2170	PASS	ND	

Analyzed by: 334, 272, 545
Weight: 0.021g
Extraction date: 10/02/25 13:50:51
Extracted by: 334

Analysis Method : SOP.T.40.044.AZ
Analytical Batch : TE010885SOL
Instrument Used : TE-285 "MS - Solvents 2"
Batch Date : 10/02/25 11:15:06
Analyzed Date : 10/04/25 05:46:51

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.

Microbial — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
SALMONELLA SPP.					PASS	Not Detected in 1g	
ESCHERICHIA COLI (REC)	CFU/g	10.0000	10.0000	100	PASS	ND	
TYM	CFU/g	1.0000	1.0000		TESTED	ND	Q3

Analyzed by: 409, 272, 545
Weight: 1.193g
Extraction date: 10/03/25 10:21:01
Extracted by: 545

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ
Analytical Batch : TE010884MIC
Instrument Used : TE-234 "bioMerieux GENE-UP"
Batch Date : 10/02/25 10:44:13
Analyzed Date : 10/04/25 05:36:14

Dilution : 10
Reagent : 082925.35; 082925.38; 100225.R15; 090425.20; 033125.10; 111824.12; 050725.25; 081325.56; 090425.39; 070925.12; 082925.18; 090825.15
Consumables : 344XPM; 1008855960; 1009817562; 3950911; 030125CH01; 1009015070; 1010243878
Pipette : TE-075 SN:RU31709; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.

Analyzed by: 331, 272, 545
Weight: 1.1908g
Extraction date: 10/06/25 11:26:34
Extracted by: 545,331

Analysis Method : N/A
Analytical Batch : TE010908TYM
Instrument Used : N/A
Batch Date : 10/03/25 15:30:57
Analyzed Date : 10/06/25 11:37:46

Dilution : 10
Reagent : 031725.29
Consumables : 343R8E; 030125CH01; 1010243878
Pipette : TE-109 SN:20B18330

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License # 00000024LCMD66604568
ISO 17025 Accreditation # 97164

Signature
10/08/25

kaycha LABS
1231 W. Warner Road, Suite 105
Tempe, AZ, 85284, US
(833) 465-8378

Kaycha Labs

Rethink Capsule Sleep & Recharge
Matrix: Infused
Classification: Hemp
Type: Capsule

Certificate of Analysis

Xpression of Awareness
10900 NW 21st St, #170
Miami, FL, 33172, US

Sample: TE51002005-001
Batch #: 1234

Ordered: 10/02/25
Sampled: 10/02/25
Completed: 10/08/25

PASSED

Mycotoxins — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AFLATOXINS	ppb	3.0300	10.0000	20	PASS	ND	
AFLATOXIN B1	ppb	3.0300	10.0000	20	PASS	ND	
AFLATOXIN B2	ppb	3.0300	10.0000	20	PASS	ND	
AFLATOXIN G1	ppb	3.0300	10.0000	20	PASS	ND	
AFLATOXIN G2	ppb	3.0300	10.0000	20	PASS	ND	
OCHRATOXIN A	ppb	3.0300	10.0000	20	PASS	ND	R1

Analyzed by: 410, 432, 272, 545
Weight: 1.0455g
Extraction date: 10/02/25 14:04:36
Extracted by: 410

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ
Analytical Batch : TE010895MYC
Instrument Used : N/A
Batch Date : 10/02/25 14:48:41
Analyzed Date : 10/04/25 05:48:46

Dilution : 50
Reagent : 082525.R07; 093025.R10; 082525.R09; 092625.R24; 092725.R02; 092625.R25; 081325.R12; 093025.R18
Consumables : 9479291.246; 8000038072; 030125CH01; 1009015070; 1010263778; GD240003
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.

Heavy Metals — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ARSENIC	ppm	0.0660	0.2000	0.4	PASS	ND	
CADMIUM	ppm	0.0660	0.2000	0.4	PASS	ND	
LEAD	ppm	0.1660	0.5000	1	PASS	ND	
MERCURY	ppm	0.0333	0.1000	1.2	PASS	ND	

Analyzed by: 398, 272, 545
Weight: 0.1979g
Extraction date: 10/02/25 12:48:03
Extracted by: 445,398

Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ
Analytical Batch : TE010887HEA
Instrument Used : TE-141 "Wolfgang",TE-307 "Ted"
Batch Date : 10/02/25 12:47:21
Analyzed Date : 10/04/25 05:44:49

Dilution : 50
Reagent : 122624.27; 092325.R08; 093025.R07; 100225.R11; 010325.09; 091225.01; 090222.04
Consumables : 030125CH01; 1009015070; 1010243878; GD240003
Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).

Filth/Foreign Material — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.3000	1.0000	3	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License # 00000024LCMD66604568
ISO 17025 Accreditation # 97164

Signature
10/08/25

1231 W. Warner Road, Suite 105
Tempe, AZ, 85284, US
(833) 465-8378

Kaycha Labs

Rethink Capsule Sleep & Recharge
Matrix: Infused
Classification: Hemp
Type: Capsule

Certificate of Analysis

Xpression of Awareness
10900 NW 21st St, #170
Miami, FL, 33172, US

Sample: TE51002005-001
Batch #: 1234

Ordered: 10/02/25
Sampled: 10/02/25
Completed: 10/08/25

PASSED

Filth/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: 331, 272, 545
Weight: 1.193g
Extraction date: 10/06/25 11:25:49
Extracted by: 331,545

Analysis Method : SOP.T.40.090
Analytical Batch : TE010909FIL
Instrument Used : N/A
Batch Date : 10/03/25 15:31:13
Analyzed Date : 10/06/25 11:37:36

Dilution : N/A
Reagent : N/A
Consumables : 030125CH01; 1010243878; HEA HD14251B
Pipette : TE-109 SN:20B18330

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License # 00000024LCMD66604568
ISO 17025 Accreditation # 97164

Signature
10/08/25